


“
ZER0.3®

LA NUOVA
DIMENSIONE
CERAMICA

THE NEW CERAMIC DIMENSION



Indice

GENERAL INDEX

L'Azienda 3

THE COMPANY

ZERO.3 9

Gamma Colori 13
Color Range

Applicazioni e soluzioni 14
Applications and solutions

Le collezioni 17

COLLECTIONS

Experience 0.3 19
Prime Stone 0.3 31
Context 0.3 41
Urbanature 0.3 51
Trilogy 0.3 63
Eternity 0.3 73
Doghe 0.3 85
Must 0.3 91

Dati tecnici 99

TECHNICAL DATA

Imballi e pesi 100
Packings and weights

Caratteristiche tecniche 101
Technical features

Il nostro Gruppo 102

OUR GROUP

“

l'Azienda

the Company



“ Creare secondo tradizione

Create according to tradition

Panaria dal 1974 ha saputo rinnovare nel tempo i valori di una grande cultura ceramica, uniti alla passione e ad alla capacità spiccatamente Made in Italy di proporre soluzioni di eccellenza estetica, qualità e affidabilità. L'innovazione tecnologica, l'utilizzo di materie prime ricercate e selezionate, l'intensa attività di ricerca e sviluppo e il ricco know-how aziendale garantiscono un continuo aggiornamento della gamma prodotti, con la volontà di dare il meglio di sé ogni giorno.

Since 1974 Panaria has constantly upheld the fundamental values of a great ceramic culture and combined them with the passion and outstanding craftsmanship of Made in Italy. The result is a range of products of aesthetic excellence, quality and reliability. Technological innovation, the use of carefully selected raw materials, intensive research and development and comprehensive company know-how guarantee continuous development of the product range. We are determined to achieve our very best every day.

ee
**Vivere
la casa dei sogni**

Living in your dream home

Tutti desideriamo uno spazio che ci rappresenti e assomigli, specchio di ciò che siamo e di come vogliamo vivere, teatro e palcoscenico di esperienze quotidiane e di emozioni da condividere, dove godere della bellezza di sentirsi a casa.
Con Panaria questo sogno diventa possibile, grazie ad un'offerta di soluzioni in grado di soddisfare ogni esigenza dell'abitare contemporaneo.

Everyone wants a unique place that is part of us, the reflection of who we are and how we want to live, theatre and stage of daily experiences and emotions to share, where we can enjoy the beauty of feeling at home.

Panaria makes this dream possible, thanks to a range of products to satisfy the requirements of contemporary lifestyles.





“

Pensare in grande, lasciare spazio alla progettualità

Think big, make way for design


ZER0.3[®]

Laminated porcelain stoneware

Grandi formati a spessore sottile evolvono il concetto di superficie, regalando continuità visiva e design custom-made ad ogni tipologia di ambiente, secondo una rinnovata progettualità che interpreta con creatività ogni progetto d'interior.

Large, but slim sizes develop the concept of surface, imbuing every type of room with visual continuity and custom-made design, while embracing a renewed approach to design that creatively interprets every interior project.





ZER0.3®



Lastre ceramiche sottili di qualità superiore

Superior quality thin porcelain slabs

Gres porcellanato laminato in grande formato: un materiale leggero, versatile e resistente per nuove prospettive progettuali nel mondo dell'architettura e dell'abitare.

MASSIMI STANDARD QUALITATIVI E PRESTAZIONALI

Grazie all'utilizzo di materie prime pregiate

LASTRE SUPERCOMPATTE ED ELASTICHE

Grazie a un processo di pressatura unico

ECCELLENTE RESA ESTETICA DEI MATERIALI

Grazie a tecniche esclusive di lavorazione delle superfici

STRAORDINARIA EXTRA-RESISTENZA

Grazie al rinforzo in fibra di vetro

ALTA SOSTENIBILITÀ AMBIENTALE

Meno materie prime utilizzate, minor consumo di acqua ed energia, minori emissioni di CO₂

Large-sized laminated porcelain stoneware: a light, resistant and versatile product for new design perspectives in the world of architecture and housing.

HIGHEST STANDARDS IN QUALITY AND PERFORMANCE

Thanks to the use of the best raw materials

HIGHLY COMPACT AND ELASTIC SLABS

Thanks to a unique pressing process

EXCELLENT AESTHETIC LOOK OF THE PRODUCTS

Thanks to exclusive surface processing technologies


EXTRAORDINARY ADDED RESISTANCE

Thanks to the reinforcing fibreglass mesh

HIGHLY ECO-FRIENDLY

Less raw materials used, lower water and energy consumption and lower CO₂ emissions

**FORMATI
SIZES**



ZERO.3


± 6 mm

SOTTILE E RESISTENTE
THIN AND RESISTANT

ZERO.3 PLUS

± 3,5 mm - 5,5 mm

ULTRASOTTILE E ULTRARESISTENTE. CON RINFORZO IN FIBRA DI VETRO
ULTRA-THIN AND ULTRA-RESISTANT. WITH FIBREGLASS MESH REINFORCEMENT





Gamma Colori

Color Range



FINITURE
FINISHES




NATURALE

SOFT


LUX

“ Tre spessori per infinite applicazioni


Three thicknesses for infinite applications




PAVIMENTI E RIVESTIMENTI
FLOORING AND WALL CLADDING




BOX E PIATTI DOCCIA, LAVABI E MOBILI BAGNO
SHOWER CABINS AND TRAYS, WASH BASINS AND BATHROOM FURNITURE




RIVESTIMENTI INTERNI SPA E PISCINE
CLADDING OF INTERIORS IN SPAS AND POOLS




RIVESTIMENTI ESTERNI E FACCIATE VENTILATE
EXTERNAL CLADDING AND VENTILATED FACADES




PORTE, SCALE E PIANEROTTOLI
DOORS, STAIRS AND LANDINGS




RIVESTIMENTI PER SETTORE NAUTICO
CLADDING IN THE NAUTICAL INDUSTRY



POSA IN SOVRAPPOSIZIONE A MATERIALE ESISTENTE
LAID OVER PRE-EXISTING MATERIAL



SUPERFICI PER PIANI E ARREDO CUCINE, TOP PER TAVOLI, LIBRERIE E ARMADI
SURFACES FOR KITCHEN COUNTERTOPS AND FURNITURE, FOR TABLE TOPS, BOOKSHELVES AND WARDROBES



GALLERIE E GRANDI OPERE PUBBLICHE
TUNNELS AND LARGE PUBLIC PROJECTS



“

Le collezioni

Collections



Experience 0.3

GRES PORCELLANATO LAMINATO **ZER0.3**[®]
 LAMINATED PORCELAIN STONEWARE



BIANCO DENSO



BEIGE TENUE



GRIGIO VIVO



NERO PURO

FORMATI - SIZES

± 3,5 mm



100x300 cm RECT
39"x118"



100x100 cm RECT
39"x39"



50x100 cm RECT
19¹/₂"x39"



50x50 cm RECT
19¹/₂"x19¹/₂"

DESTINAZIONI D'USO - INTENDED USE **Naturale**  

 DIN 51130: R9

 ANSI A137.3: V2



RIVESTIMENTO / WALL Bianco Denso 100x300 cm Rect_39"x118" Mosaico B Bianco Denso 25x25 cm Rect_10"x10"
 Elio Bianco 50x100 cm Rect_19^{1/2}"x39"
 PAVIMENTO / FLOOR Grigio Vivo 100x100 cm Rect_39"x39"




RIVESTIMENTO / WALL Beige Tenue 100x300 cm Rect_39"x118" Mosaico A Beige Tenue 50x50 cm Rect_19^{1/2}"x19^{1/2}"
 PAVIMENTO / FLOOR Beige Tenue 100x300 cm Rect_39"x118"

BIANCO DENSO




BEIGE TENUE




100x300 cm RECT - 39"x118"
NATURALE



100x100 cm RECT - 39"x39"
NATURALE



50x100 cm RECT - 19¹/₂"x39"
NATURALE



50x50 cm RECT - 19¹/₂"x19¹/₂"
NATURALE


GRIGIO VIVO




NERO PURO



100x300 cm RECT - 39"x118"
NATURALE



100x100 cm RECT - 39"x39"
NATURALE



50x100 cm RECT - 19¹/₂"x39"
NATURALE




50x50 cm RECT - 19¹/₂"x19¹/₂"
NATURALE

DECORI - DECORS

BIANCO DENSO



MOSAICO A
50x50 cm RECT - 19¹/₂"x19¹/₂"
± 3 mm




MOSAICO B
25x25 cm RECT - 10"x10"
± 3 mm


BEIGE TENUE




MOSAICO A
50x50 cm RECT - 19¹/₂"x19¹/₂"
± 3 mm




MOSAICO B
25x25 cm RECT - 10"x10"
± 3 mm



MOSAICO C
25x100 cm RECT - 10"x39"
± 3 mm



MOSAICO C
25x100 cm RECT - 10"x39"
± 3 mm



ELIO*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm



ELIO*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm




TRATTO*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm



TRATTO*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm



FILATO*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm



FILATO*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm


* Posare solo a parete / Recommended only for wall applications / Nur an der Wand verlegen / Recommandé seulement pour les revêtements

DECORI - DECORS

GRIGIO VIVO




MOSAICO A
50x50 cm RECT - 19¹/₂"x19¹/₂"
± 3 mm




MOSAICO B
25x25 cm RECT - 10"x10"
± 3 mm



MOSAICO C
25x100 cm RECT - 10"x39"
± 3 mm



ELIO*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm




TRATTO*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm




FILATO*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm


NERO PURO




MOSAICO A
50x50 cm RECT - 19¹/₂"x19¹/₂"
± 3 mm



MOSAICO B
25x25 cm RECT - 10"x10"
± 3 mm



MOSAICO C
25x100 cm RECT - 10"x39"
± 3 mm



ELIO*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm



TRATTO*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm



FILATO*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm

* Posare solo a parete / Recommended only for wall applications / Nur an der Wand verlegen / Recommandé seulement pour les revêtements

DECORI - DECORS

FLORA



A*
100x100 cm RECT - 39"x39"
± 3,5 mm
PG8EXFA



B*
100x100 cm RECT - 39"x39"
± 3,5 mm
PG8EXFB



C*
100x100 cm RECT - 39"x39"
± 3,5 mm
PG8EXFC



E*
100x100 cm RECT - 39"x39"
± 3,5 mm
PG8EXFE



D*
100x100 cm RECT - 39"x39"
± 3,5 mm
PG8EXFD

* Posare solo a parete / Recommended only for wall applications / Nur an der Wand verlegen /
Recommandé seulement pour les revêtements

Le dimensioni dei decori sono personalizzabili / Decors dimensions can be customized /
Das Format der Dekoren ist auf Wunsch realisierbar / La dimension des décors peut être
personnalisée

Attenzione: per la pulizia dei decori attenersi scrupolosamente alle istruzioni contenute
nell'imballo / Notice: to clean the decors you must follow carefully the instructions provided
inside the box / Achtung: für die reinigung sich genau auf die anleitungen in der verpackung
halten / Attention: pour le nettoyage des décors il faut suivre scrupuleusement les
renseignements contenus dans la boîte



RIVESTIMENTO / WALL Beige Tenue 100x300 cm Rect_39"x118" Beige Tenue 100x100 cm Rect_39"x39" Nero Puro 100x300 cm Rect_39"x118"
PAVIMENTO / FLOOR Nero Puro 100x100 cm Rect_39"x39"



Prime Stone 0.3

GRES PORCELLANATO LAMINATO
LAMINATED PORCELAIN STONEWARE **ZERO.3**



WHITE PRIME




SAND PRIME



GREIGE PRIME



SILVER PRIME



BLACK PRIME

FORMATI - SIZES

± 5,5 mm



100x300 cm RECT
39"x118"



100x250 cm RECT
39"x98^{1/2}"




100x100 cm RECT
39"x39"



50x100 cm RECT
19^{1/2}"x39"

DESTINAZIONI D'USO - INTENDED USE **Soft**   


 DIN 51130: R9
ANSI A326.3: DCOF ≥ 0.42
BCR TORTUS: μ > 0,40

 ANSI A137.3: V2

PROTECT
ANTIBATTERICO - ANTIMICROBIAL



RIVESTIMENTO / WALL White Prime Soft 100x300 cm Rect_39"x118" White Prime Soft 100x250 cm Rect_39"x98^{1/2}"
 Silver Prime Soft 100x300 cm Rect_39"x118"
 PAVIMENTO / FLOOR Silver Prime Soft 100x100 cm Rect_39"x39"



RIVESTIMENTO / WALL Sand Prime Soft 50x100 cm Rect_19^{1/2}"x39" Sand Prime Stream 20x60 cm Rect_8"x24"
 Black Prime Soft 100x250 cm Rect_39"x98^{1/2}" Black Prime Soft 50x100 cm_19^{1/2}"x39"
 PAVIMENTO / FLOOR Sand Prime Soft 50x100 cm Rect_19^{1/2}"x39"



RIVESTIMENTO / WALL Greige Prime Soft 100x300 cm Rect_39"x118"
White Prime Soft 100x300 cm Rect_39"x118"
PAVIMENTO / FLOOR Greige Prime Soft 100x100 cm Rect_39"x39"

Prime Stone 0.3


PROTECT
ANTIBATTERICO - ANTIMICROBIAL

GRES PORCELLANATO LAMINATO
LAMINATED PORCELAIN STONEWARE **ZER0.3**


WHITE PRIME



SAND PRIME




100x300 cm RECT - 39"x118"
SOFT



100x250 cm RECT - 39"x98 1/2"
SOFT



100x100 cm RECT - 39"x39"
SOFT



50x100 cm RECT - 19 1/2"x39"
SOFT

Prime Stone 0.3

PROTECT
ANTIBATTERICO - ANTIMICROBIAL

GRES PORCELLANATO LAMINATO
LAMINATED PORCELAIN STONEWARE **ZER0.3**


GREIGE PRIME




SILVER PRIME




100x300 cm RECT - 39"x118"
SOFT



100x250 cm RECT - 39"x98 1/2"
SOFT



100x100 cm RECT - 39"x39"
SOFT



50x100 cm RECT - 19 1/2"x39"
SOFT

Prime Stone 0.3

GRES PORCELLANATO LAMINATO ZER0.3®
LAMINATED PORCELAIN STONEWARE

PROTECT
ANTIBATTERICO - ANTIMICROBIAL


BLACK PRIME




100x300 cm RECT - 39"x118"
SOFT



100x250 cm RECT - 39"x98 1/2"
SOFT



100x100 cm RECT - 39"x39"
SOFT



50x100 cm RECT - 19 1/2"x39"
SOFT

Prime Stone 0.3

GRES PORCELLANATO LAMINATO ZER0.3®
LAMINATED PORCELAIN STONEWARE



RIVESTIMENTO / WALL Sand Prime Soft 100x250 cm Rect_39"x98 1/2" Greige Prime Soft 100x300 cm Rect_39"x118"
PAVIMENTO / FLOOR Sand Prime Soft 100x100 cm Rect_39"x39"



Context 0.3

GRES PORCELLANATO LAMINATO **ZER0.3**[®]
LAMINATED PORCELAIN STONEWARE




SQUARE




LOFT



STORE



HANGAR



MANSION

FORMATI - SIZES

± 6 mm




120x260 cm RECT
48"x102"



120x120 cm RECT
48"x48"

DESTINAZIONI D'USO - INTENDED USE **Naturale**   

 DIN 51130: R10
BCR TORTUS: $\mu > 0,40$
ANSI A326.3: DCOF ≥ 0.42


 ANSI A137.3: V2

PROTECT
ANTIBATTERICO - ANTIMICROBIAL





RIVESTIMENTO / WALL Store 120x260 cm Rect_48"x102"
PAVIMENTO / FLOOR Store 120x120 cm Rect_48"x48"



RIVESTIMENTO / WALL Loft 120x260 cm Rect_48"x102"
PAVIMENTO / FLOOR Loft 120x120 cm Rect_48"x48"



Context 0.3

PROTECT
ANTIBATTERICO - ANTIMICROBIAL

GRES PORCELLANATO LAMINATO ZER0.3®
LAMINATED PORCELAIN STONEWARE

SQUARE



LOFT



STORE



Context 0.3


PROTECT
ANTIBATTERICO - ANTIMICROBIAL

GRES PORCELLANATO LAMINATO ZER0.3®
LAMINATED PORCELAIN STONEWARE

HANGAR



MANSION




± 6 mm

120x260 cm RECT - 48"x102"
NATURALE




± 6 mm

120x120 cm RECT - 48"x48"
NATURALE



± 6 mm

120x260 cm RECT - 48"x102"
NATURALE



± 6 mm

120x120 cm RECT - 48"x48"
NATURALE



Urbanature 0.3

GRES PORCELLANATO LAMINATO
LAMINATED PORCELAIN STONEWARE **ZER0.3**



LIME



CONCRETE



CEMENT



PORTLAND



SILICON

FORMATI - SIZES

± 3,5 mm



100x300 cm RECT
39"x118"




100x100 cm RECT
39"x39"



50x100 cm RECT
19 1/2"x39"

DESTINAZIONI D'USO - INTENDED USE **Naturale**  

 DIN 51130: R9
BCR TORTUS: $\mu > 0,40$

 ANSI A137.3: V2



RIVESTIMENTO / WALL Lime 100x300 cm Rect_39"x118" Lime 100x100 cm Rect_39"x39" Lime 50x100 cm Rect_19 1/2"x39"
 PAVIMENTO / FLOOR Silicon 100x100 cm Rect_39"x39"



RIVESTIMENTO / WALL Urban Tweed 2 50x100 cm Rect_19 1/2"x39"
 PAVIMENTO / FLOOR Silicon 100x100 cm Rect_39"x39"



RIVESTIMENTO / WALL Portland 100x300 cm Rect_39"x118" Portland 50x100 cm Rect_19¹/₂"x39" Urban Stripes Portland 50x100 cm Rect_19¹/₂"x39"
PAVIMENTO / FLOOR Portland 100x100 cm Rect_39"x39"

Urbanature 0.3

GRES PORCELLANATO LAMINATO
LAMINATED PORCELAIN STONEWARE ZER0.3®

LIME




CONCRETE



100x300 cm RECT - 39"x118"
NATURALE



100x100 cm RECT - 39"x39"
NATURALE



50x100 cm RECT - 19 1/2"x39"
NATURALE


Urbanature 0.3

GRES PORCELLANATO LAMINATO
LAMINATED PORCELAIN STONEWARE ZER0.3®


CEMENT



PORTLAND



100x300 cm RECT - 39"x118"
NATURALE



100x100 cm RECT - 39"x39"
NATURALE




50x100 cm RECT - 19 1/2"x39"
NATURALE


SILICON



100x300 cm RECT - 39"x118"
NATURALE



100x100 cm RECT - 39"x39"
NATURALE



50x100 cm RECT - 19 1/2"x39"
NATURALE

DECORI - DECORS



URBAN LEAVES 1*
50x100 cm RECT - 19 1/2"x39"
± 3 mm



URBAN LEAVES 2*
50x100 cm RECT - 19 1/2"x39"
± 3 mm



URBAN TWEED 1
50x100 cm RECT - 19 1/2"x39"
± 3 mm




URBAN TWEED 2
50x100 cm RECT - 19 1/2"x39"
± 3 mm

URBAN LEAVES 1, URBAN LEAVES 2, URBAN TWEED 1, URBAN TWEED 2:
Posare solo a parete / Recommended only for wall applications / Nur an der Wand verlegen / Recommandé seulement pour les revêtements

* Sviluppato su 2 soggetti, venduto solo a scatole complete / Developed on 2 patterns, full boxes order only / Paarweise, nur als komplette Verpackung erhältlich / Développé sur 2 éléments, vendu uniquement en boîtes complètes

DECORI - DECORS

LIME




URBAN STRIPES*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm

CONCRETE




URBAN STRIPES*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm

CEMENT




URBAN STRIPES*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm

PORTLAND



URBAN STRIPES*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm


SILICON



URBAN STRIPES*
50x100 cm RECT - 19¹/₂"x39"
± 3 mm

URBAN STRIPES:
Posare solo a parete / Recommended only for wall applications / Nur an der Wand verlegen / Recommandé seulement pour les revêtements

* Sviluppato su 2 soggetti, venduto solo a scatole complete / Developed on 2 patterns, full boxes order only / Paarweise, nur als komplette Verpackung erhältlich / Développé sur 2 éléments, vendu uniquement en boîtes complètes




RIVESTIMENTO / WALL Concrete 100x300 cm Rect_39"x118" Concrete 50x100 cm Rect_19¹/₂"x39" Urban Tweed 1 50x100 cm Rect_19¹/₂"x39"
PAVIMENTO / FLOOR Lime 100x300 cm Rect_39"x118"



Trilogy 0.3

GRES PORCELLANATO LAMINATO LAMINATED PORCELAIN STONEWARE **ZER0.3**



CALACATTA WHITE



ONYX LIGHT



MOON BEIGE



SANDY GREY



SKY SMOKE

FORMATI - SIZES

± 5,5 mm



100x300 cm RECT
39"x118"



100x100 cm RECT
39"x39"



50x100 cm RECT
19 1/2"x39"

DESTINAZIONI D'USO - INTENDED USE **Soft / Lux**  



ANSI A326.3: DCOF ≥ 0.42
Soft



ANSI A137.3: V2

PROTECT
ANTIBATTERICO - ANTIMICROBIAL



RIVESTIMENTO / WALL Onyx Light Soft 100x300 cm Rect_39"x118"
PAVIMENTO / FLOOR Onyx Light Soft 100x100 cm Rect_39"x39"



RIVESTIMENTO / WALL Moon Beige Soft 100x300 cm Rect_39"x118"
PAVIMENTO / FLOOR Moon Beige Soft 60x60 cm Rect_24"x24"



RIVESTIMENTO / WALL Calacatta White Lux 100x300 cm Rect_39"x118"
PAVIMENTO / FLOOR Calacatta White Lux 100x100 cm Rect_39"x39"

CALACATTA WHITE



ONYX LIGHT



MOON BEIGE




SANDY GREY




100x300 cm RECT - 39"x118"
 SOFT
 LUX




100x100 cm RECT - 39"x39"
 SOFT
 LUX




50x100 cm RECT - 19 1/2"x39"
 SOFT
 LUX



100x300 cm RECT - 39"x118"
 SOFT
 LUX



100x100 cm RECT - 39"x39"
 SOFT
 LUX




50x100 cm RECT - 19 1/2"x39"
 SOFT
 LUX


SKY SMOKE



100x300 cm RECT - 39"x118"
 SOFT
 LUX



100x100 cm RECT - 39"x39"
 SOFT
 LUX



50x100 cm RECT - 19 1/2"x39"
 SOFT
 LUX

La protezione antibatterica è applicata solo sulla versione SOFT / The antimicrobial protection is applied only in SOFT version / Der antibakterielle Schutz ist nur bei der Version SOFT vorhanden / La protection antibactérienne est disponible seulement sur la version SOFT




RIVESTIMENTO / WALL Onyx Light Soft 100x300 cm Rect_39"x118"
 PAVIMENTO / FLOOR Onyx Light Lux 58x116 cm_23"x46"



Eternity 0.3


GRES PORCELLANATO LAMINATO **ZER0.3**[®]
LAMINATED PORCELAIN STONEWARE




STATUARIO WHITE



ARABESQUE PEARL



MARQUINA BLACK



BREACH GREY

FORMATI - SIZES

± 6 mm




120x260 cm RECT
48"x102"



120x120 cm RECT
48"x48"

DESTINAZIONI D'USO - INTENDED USE **Soft / Lux**  

 ANSI A326.3: DCOF ≥ 0.42
Soft

 ANSI A137.3: V2

PROTECT
ANTIBATTERICO - ANTIMICROBIAL



RIVESTIMENTO / WALL Marquina Black Lux 120x260 cm Rect_48"x102" Breach Grey Lux 120x260 cm Rect_48"x102"
 PAVIMENTO / FLOOR Breach Grey Lux 120x120 cm Rect_48"x48"




RIVESTIMENTO / WALL Breach Grey Lux 120x260 cm Rect_48"x102"
 LAVABO / WASH BASIN Marquina Black Lux





PAVIMENTO / FLOOR Statuario White Soft 120x260 cm Rect_48"x102"



RIVESTIMENTO / WALL Arabesque Pearl Lux Bookmatch 120x260 cm Rect_48"x102"
PAVIMENTO / FLOOR Arabesque Pearl Lux 120x120 cm Rect_48"x48"

Eternity 0.3

PROTECT
ANTIBATTERICO - ANTIMICROBIAL

GRES PORCELLANATO LAMINATO
LAMINATED PORCELAIN STONEWARE **ZER0.3**

STATUARIO WHITE



ARABESQUE PEARL



120x260 cm RECT - 48"x102"
SOFT
LUX



120x120 cm RECT - 48"x48"
SOFT
LUX

Eternity 0.3


PROTECT
ANTIBATTERICO - ANTIMICROBIAL

GRES PORCELLANATO LAMINATO
LAMINATED PORCELAIN STONEWARE **ZER0.3**


BREACH GREY



MARQUINA BLACK



120x260 cm RECT - 48"x102"
SOFT
LUX



120x120 cm RECT - 48"x48"
SOFT
LUX

DECORI - DECORS

STATUARIO WHITE BOOKMATCH LUX A+B



120x260 cm RECT - 48"x102"
± 6 mm
LUX A

120x260 cm RECT - 48"x102"
± 6 mm
LUX B

L'immagine è puramente indicativa. La grafica di bookmatch può presentare discontinuità di vena nel passaggio tra le lastre, al pari del materiale naturale. Eventuali differenze fino a 1,5 cm sono dunque da considerarsi caratteristica del prodotto.
The picture is purely illustrative. The graphic design of bookmatch may result in discontinuities in the veining between panels, as with the natural material. Discontinuities of up to 1.5 cm are not defects, but are characteristic of the product.

DECORI - DECORS

ARABESQUE PEARL BOOKMATCH LUX A+B



120x260 cm RECT - 48"x102"
± 6 mm
LUX A

120x260 cm RECT - 48"x102"
± 6 mm
LUX B

L'immagine è puramente indicativa. La grafica di bookmatch può presentare discontinuità di vena nel passaggio tra le lastre, al pari del materiale naturale. Eventuali differenze fino a 1,5 cm sono dunque da considerarsi caratteristica del prodotto.
The picture is purely illustrative. The graphic design of bookmatch may result in discontinuities in the veining between panels, as with the natural material. Discontinuities of up to 1.5 cm are not defects, but are characteristic of the product.

Doghe 0.3

GRES PORCELLANATO LAMINATO
LAMINATED PORCELAIN STONEWARE **ZER0.3**



ROVERE NATURALE



ROVERE OLIATO



ROVERE VERNICIATO

FORMATI - SIZES

± 3,5 mm



100x300 cm RECT
39"x118"



20x200 cm RECT
8"x79"




20x150 cm RECT
8"x59"



20x100 cm RECT
8"x39"

DESTINAZIONI D'USO - INTENDED USE **Naturale**  

 DIN 51130: R10
DIN 51097: B(A+B)
BCR TORTUS: $\mu > 0,40$
ANSI A326.3: DCOF ≥ 0.42
AS/NZS 4586: P3
BS 7976-2: PTV 36+wet (SI.96)

 ANSI A137.3: V2




RIVESTIMENTO / WALL Rovere Naturale 20x150 cm Rect_8"x59" Rovere Naturale 20x100 cm Rect_8"x39"
Rovere Verniciato 20x150 cm Rect_8"x59" Rovere Verniciato 20x100 cm Rect_8"x39"
PAVIMENTO / FLOOR Rovere Oliato 20x200 cm Rect_8"x79" Rovere Oliato 20x150 cm Rect_8"x59" Rovere Oliato 20x100 cm Rect_8"x39"

ROVERE NATURALE



ROVERE OLIATO



100x300 cm RECT - 39"x118"
NATURALE



20x200 cm RECT - 8"x79"
NATURALE




20x150 cm RECT - 8"x59"
NATURALE



20x100 cm RECT - 8"x39"
NATURALE

ROVERE VERNICIATO



100x300 cm RECT - 39"x118"
NATURALE



20x200 cm RECT - 8"x79"
NATURALE



20x150 cm RECT - 8"x59"
NATURALE




20x100 cm RECT - 8"x39"
NATURALE



Must 0.3

GRES PORCELLANATO LAMINATO **ZER0.3**[®]
 LAMINATED PORCELAIN STONEWARE



BE WHITE



BE BLACK

FORMATI - SIZES

± 5,5 mm



100x300 cm RECT
 39"x118"



100x100 cm RECT
 39"x39"

DESTINAZIONI D'USO - INTENDED USE

Soft

Lux

*Solo Be White - Only Be White


ANSI A326.3: DCOF ≥ 0.42
 Soft

ANSI A137.3: V1

PROTECT
 ANTIBATTERICO - ANTIMICROBIAL



PAVIMENTO / FLOOR Be Black Lux 100x100 cm Rect_39"x39"




PAVIMENTO / FLOOR Be White Lux 100x100 cm Rect_39"x39"




RIVESTIMENTO / WALL Be Black Soft 100x300 cm Rect_39"x118"
PAVIMENTO / FLOOR Be Black Lux 100x100 cm Rect_39"x39"


BE WHITE



BE BLACK



± 5,5 mm
100x300 cm RECT - 39"x118"
SOFT
LUX



± 5,5 mm
100x100 cm RECT - 39"x39"
SOFT
LUX



PAVIMENTO / FLOOR Be White Lux 100x100 cm Rect_39"x39"

“

Dati tecnici

Technical Data

PACKINGS AND WEIGHTS

Experience 0.3

DESCRIZIONE DESCRIPTION	FORMATI SIZES	SCATOLA / BOX			PALLET			
FONDO NATURALE	100x300 ^{RECT}	1	23,4	3	-	20	468	60
FONDO NATURALE	100x100 ^{RECT}	3	23,4	3	-	25	585	75
FONDO NATURALE	50x100 ^{RECT}	5	19,5	2,50	-	32	642	80
FONDO NATURALE	50x50 ^{RECT}	7	13,65	1,75	-	48	655,2	84
MOSAICO A	50x50 ^{RECT}	3	5,25	0,75	-	-	-	-
MOSAICO B	50x50 ^{RECT}	6	2,70	0,375	-	-	-	-
MOSAICO C	50x50 ^{RECT}	3	5,25	0,75	-	-	-	-
DECORI	50x100 ^{RECT}	4	14	2	-	-	-	-
DECORI STAMPATI FLORA	100x100 ^{RECT}	1	7,8	1	-	-	-	-

Prime Stone 0.3

DESCRIZIONE DESCRIPTION	FORMATI SIZES	SCATOLA / BOX			PALLET			
FONDO SOFT	100x300 ^{RECT}	1	34,5	3	-	13	448,5	39
FONDO SOFT	100x250 ^{RECT}	1	28,75	2,5	-	13	373,75	32,50
FONDO SOFT	100x100 ^{RECT}	2	23	2	-	25	575	50
FONDO SOFT	50x100 ^{RECT}	3	17,25	1,5	-	32	552	48

Context 0.3

DESCRIZIONE DESCRIPTION	FORMATI SIZES	SCATOLA / BOX			PALLET			
FONDO NATURALE	120x260 ^{RECT}	1	44	3,12	-	20	880	62,40
FONDO NATURALE	120x120 ^{RECT}	1	40,6	2,88	-	25	1015	72

Urbanature 0.3

DESCRIZIONE DESCRIPTION	FORMATI SIZES	SCATOLA / BOX			PALLET			
FONDO NATURALE	100x300 ^{RECT}	1	25,35	3	-	20	507	60
FONDO NATURALE	100x100 ^{RECT}	3	24,1	3	-	25	602,5	75
FONDO NATURALE	50x100 ^{RECT}	5	20	2,5	-	32	640	80
URBAN LEAVES	50x100 ^{RECT}	2	7	1	-	-	-	-
URBAN TWEED	50x100 ^{RECT}	2	7	1	-	-	-	-
URBAN STRIPES	50x100 ^{RECT}	2	7	1	-	-	-	-

Trilogy 0.3

DESCRIZIONE DESCRIPTION	FORMATI SIZES	SCATOLA / BOX			PALLET			
FONDO SOFT / LUX	100x300 ^{RECT}	1	34,5	3	-	13	448,5	39
FONDO SOFT / LUX	100x100 ^{RECT}	2	25,4	2	-	25	635	50
FONDO SOFT / LUX	50x100 ^{RECT}	3	18,9	2,50	-	32	604,8	48
FONDO SOFT / LUX	120x260 ^{RECT}	1	43,10	3,12	-	20	862	62,40
FONDO SOFT / LUX	120x120 ^{RECT}	1	39,80	2,88	-	25	995	72
BOOKMATCH A LUX	120x260 ^{RECT}	1	43,10	3,12	-	20	862	62,40
BOOKMATCH B LUX	120x260 ^{RECT}	1	43,10	3,12	-	20	862	62,40

Doghe 0.3

DESCRIZIONE DESCRIPTION	FORMATI SIZES	SCATOLA / BOX			PALLET			
FONDO NATURALE	20x150 ^{RECT}	5	11,7	1,5	-	40	468	60
FONDO NATURALE	20x100 ^{RECT}	5	7,8	1	-	60	468	60
FONDO NATURALE	20x200 ^{RECT}	4	12,48	1,6	-	40	499,2	64
FONDO NATURALE	100x300 ^{RECT}	1	23,4	3	-	20	468	60

Must 0.3

DESCRIZIONE DESCRIPTION	FORMATI SIZES	SCATOLA / BOX			PALLET			
FONDO SOFT / LUX	300x100 ^{RECT}	1	34,5	3	-	13	448,5	39
FONDO SOFT / LUX	100x100 ^{RECT}	1	25,4	2	-	25	635	50

La finitura LUX è consigliata, oltre che per rivestimenti, anche per pavimenti in ambienti residenziali o commerciale leggero non sottoposti ad elevate sollecitazioni, ove non siano richieste prestazioni antiscivolo. La presenza sporadica di piccole disuniformità o di puntini sulla superficie è da ritenersi come caratteristica del materiale e della particolare lavorazione.

Qualora il prodotto sia posto a diretto contatto con l'esterno, si consiglia di utilizzare soluzioni protettive al fine di prevenire la formazione di graffi. *The LUX finishes are recommended, as well as for wall cladding, also for flooring in residential or light commercial areas that are not subjected to heavy traffic, where anti-slip characteristics are not required. The occasional presence of small inconsistencies or little spots on the surface is to be considered a characteristic of the material and of its unique production process.*

If the product is laid in direct contact with external environments, it is recommended to use protective solutions to reduce the formation of scratches.

In aree caratterizzate dal passaggio di carichi pesanti concentrati non è consigliato l'utilizzo di prodotti a spessore ridotto. *In areas that are subjected to heavy concentrated loads it is not recommended to use low thickness products.*

TECHNICAL FEATURES

GRES PORCELLANATO LAMINATO - LAMINATED PORCELAIN STONEWARE

ISO 13006-G (Gruppo / Group BIa-UGL) • EN 14411-G (Gruppo / Group BIa-UGL) • ANSI A137.3 - UGL (Back layered gauged porcelain slabs - UGL)

CARATTERISTICA TECNICA TECHNICAL FEATURES	METODO DI PROVA TEST METHOD	REQUISITI PRESCRITTI REQUIRED VALUES	VALORI MEDI AVERAGE VALUES 3,5mm - 5,5 mm	VALORI MEDI AVERAGE VALUES 6 mm
ASSORBIMENTO D'ACQUA WATER ABSORPTION	ISO 10545-3 ASTM C373	≤ 0,5%	0,1% (*)	0,1%
RESISTENZA A FLESSIONE MODULUS OF RUPTURE	ISO 10545-4 ASTM C1505	≥ 35 N/mm² ≥ 6000 PSI	50 N/mm² ≥ 6000 PSI	50 N/mm² ≥ 6000 PSI
RESISTENZA ALL'ABRASIONE PROFONDA DEEP ABRASION RESISTANCE	ISO 10545-6 ASTM C1243	≤ 175 mm³	Conforme / Compliant	Conforme / Compliant
DILATAZIONE TERMICA LINEARE LINEAR THERMAL EXPANSION	ISO 10545-8 ASTM C372	Requisito non previsto No provision	α ≤ 7 x 10⁻⁶ °C⁻¹ α ≤ 4.4 x 10⁻⁶ °F⁻¹ / α ≤ 8 x 10⁻⁶ °C⁻¹	α ≤ 7 x 10⁻⁶ °C⁻¹ α ≤ 4.4 x 10⁻⁶ °F⁻¹ / α ≤ 8 x 10⁻⁶ °C⁻¹
RESISTENZA ALLE MACCHIE STAIN RESISTANCE	ISO 10545-14 ASTM C1378	Classe / Class 3 Min. As indicated by manufacturer	5 RESISTENTE / RESISTANT ≥ 3 Lux CLASS A RESISTANT CLASS C Lux	5 RESISTENTE / RESISTANT ≥ 3 Lux CLASS A RESISTANT CLASS C Lux
RESISTENZA ALL'ATTACCO CHIMICO ^(**) CHEMICAL RESISTANCE ^(**)	ISO 10545-13 ASTM C650	Come indicato dal produttore As indicated by manufacturer	LA-HA RESISTENTE / RESISTANT LB-HB Lux CLASS A RESISTANT CLASS C Lux	LA-HA RESISTENTE / RESISTANT LB-HB Lux CLASS A RESISTANT CLASS C Lux
RESISTENZA AL GELO FROST RESISTANCE	ISO 10545-12 ASTM C1026	Nessuna alterazione No alteration As indicated by manufacturer	RESISTENTE / RESISTANT RESISTANT	RESISTENTE / RESISTANT RESISTANT
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	DIN 51130 DIN 51097 BCR-TORTUS ANSI A326.3 AS/NZS 4586 BS 7976-2	- - - - - -	R9 Experience 0.3, Prime Stone 0.3, Urbanature 0.3 R10 Doghe 0.3 B (A+B) Doghe 0.3 μ > 0,40 Prime Stone 0.3, Urbanature 0.3, Doghe 0.3 DCOF ≥ 0.42 Prime Stone 0.3, Trilogy 0.3 Soft, Must 0.3 Soft, Doghe 0.3 P3 Doghe 0.3 PTV 36+wet (Sl.96) Doghe 0.3	R10 Context 0.3 - μ > 0,40 Context 0.3 DCOF ≥ 0.42 Context 0.3, Eternity 0.3 Soft - -
STONALIZZAZIONE SHADE VARIATION	ANSI A137.3	Come indicato dal produttore As indicated by manufacturer	V1 Aspetto uniforme Uniform Appearance Must 0.3 V2 Variazioni minime Slight variation Doghe 0.3, Experience 0.3, Prime Stone 0.3, Trilogy 0.3, Urbanature 0.3	V2 Variazioni minime Slight variation Context 0.3, Eternity 0.3
REAZIONE AL FUOCO FIRE REACTION FLAME SPREAD	EN 13823 EN 9239-1 ASTM E84	CPR (UE) 305/2011, 2000/147/CE, UNI EN 13501-1	Classe / Class A2 - s1, d0 (wall) Classe / Class A2fl - s1 (floor) Class A	Classe / Class A1 (wall) Classe / Class A1fl (floor) Class A
CONDUCEBILITA' TERMICA THERMAL CONDUCTIVITY	EN 12524	-	λ = 1,3 W/m °K / 0.7 BTU/ft h °F	λ = 1,3 W/m °K / 0.7 BTU/ft h °F

FUGA MINIMA CONSIGLIATA / MINIMUM SUGGESTED JOINT: vedi Manuale Tecnico ZERO.3 - Refer to ZERO.3 Technical Manual

(*) Valore medio riferito al solo materiale ceramico - Average value referred to ceramic material only
(**) Ad esclusione dell'acido fluoridrico e derivati - Excluding hydrofluoric acid and its derivatives

DESTINAZIONI D'USO - INTENDED USE

LEGENDA - KEY

residenziale
residential

Cucine, bagni, living e ogni altro ambiente di uso residenziale.

Kitchens, bathrooms, living rooms and other residential environments.

commerciale leggero
light commercial

Uffici, uffici aperti al pubblico, sale d'attesa, negozi, bagni pubblici, aree comuni condominiali, sale di ristoranti, autosaloni, bar, cinema, ambulatori/cliniche, camere e bagni di hotel. In aree caratterizzate da passaggi obbligati non è consigliato l'utilizzo di prodotti con finitura LUX.

Offices, offices open to the general public, waiting rooms, shops, public bathrooms, common apartment block areas, restaurant dining rooms, car showrooms, bars, cinemas, surgeries/clinics, hotel rooms and bathrooms. In areas subjected to forced traffic, it is not advisable to use products with the LUX finishes.

commerciale intensivo
intensive commercial

Aree comuni di centri commerciali, hall di hotel, mense, fast food, discoteche, ospedali, scuole, musei, luoghi di culto, aeroporti, stazioni.

Common areas of shopping centres, hotel foyers, canteens, fast food restaurants, dance clubs, hospitals, schools, museums, places of worship, airports, stations.



Panariagroup. Nel tempo e nel mondo l'eccellenza ceramica

Throughout time and around the world, ceramic excellence

Eccellere, nel mondo della ceramica di alta qualità, significa saper generare sempre prodotti a elevata componente tecnologica e impreziosirli con la massima attenzione estetica, con la cura di ogni dettaglio. Per soddisfare al meglio i gusti della fascia più elevata ed esigente del mercato, Panariagroup adotta da sempre la formula dell'eccellenza, unendo storica sapienza artigianale e attitudine all'avanguardia tecnologica. Con un impegno fondamentale ad agire e operare sempre con responsabilità. Con oltre 40 anni di esperienza, Panariagroup è oggi una realtà internazionale con un cuore fortemente italiano, presente con 8 brand in oltre 130 paesi nel mondo grazie a una vasta e capillare rete commerciale.

To excel in the world of high quality ceramics means knowing how to continuously create highly technological products and how to enhance them through the utmost attention to aesthetics and detail. Panariagroup has always adhered to the highest standards of excellence, combining its history of skilful artisan craftsmanship with cutting edge technology. This approach is intrinsically linked to a fundamental commitment to always act and operate responsibly. With over 40 years of experience, Panariagroup is an international company with a strong Italian soul and an extensive sales network with 8 brands in over 130 countries all over the world.

Exzellenz in der Welt der hochwertigen Keramik bedeutet zu wissen, wie man kontinuierlich Produkte herstellt, die nicht nur eine hohe technologische Komponente aufweisen, sondern die mit besonderem Augenmerk auf die Ästhetik bis ins kleinste Detail realisiert werden. Panariagroup arbeitet seit jeher mit der Formel der Exzellenz, um dem Geschmack des anspruchsvollsten Marktsegments gerecht zu werden. Historische Handwerkskunst vereint sich mit technologischem Fortschritt, wobei ein verantwortungsvolles Handeln absolute Voraussetzung ist. Mit mehr als 40 Jahren Erfahrung ist die Panariagroup heute eine internationale Realität mit einem starken italienischen Herzen, die dank eines großen und weit verbreiteten Handelsnetzes weltweit mit 8 Marken in über 130 Ländern präsent ist.

Exceller, dans le monde de la céramique de haute qualité, signifie toujours savoir créer des produits à composante technologique élevée et les enrichir avec la plus grande attention esthétique, en soignant tous les détails. Pour satisfaire au mieux les goûts de la plume la plus élevée et la plus exigeante du marché, Panariagroup adopte depuis toujours la formule de l'excellence, unissant la connaissance historique artisanale et l'attitude technologiquement à l'avant-garde. Avec un engagement fondamental à agir et œuvrer toujours de manière responsable. Avec plus de 40 ans d'expérience, Panariagroup est aujourd'hui un groupe international avec un cœur fortement italien, présente avec 8 marques dans plus de 130 pays dans le monde, grâce à un vaste réseau commercial à tous les niveaux.



PANARIAgroup®
www.panariagroup.it



CERTIFICAZIONI - CERTIFICATIONS

100%
ECO COMPATIBILE
CERAMICA PANARIA



Le schede **LEED** sono disponibili a richiesta. **LEED** cards are available on request.

PANARIA CERAMICA è membro del U.S. Green Building Council, organizzazione degli Stati Uniti che promuove la realizzazione di edifici ed opere nel rispetto dell'ambiente, della salute e del benessere delle persone che ci vivono e lavorano.

PANARIA CERAMICA is a member of the U.S. Green Building Council: this is an organization that promotes buildings that are environmentally responsible, profitable and healthy places to live and work.



Le schede **LEED** sono disponibili a richiesta. **LEED** cards are available on request.

PANARIA CERAMICA è membro di Green Building Council ITALIA, organizzazione che promuove sul territorio italiano la realizzazione di edifici ed opere nel rispetto dell'ambiente, della salute e del benessere delle persone che ci vivono e lavorano.

PANARIA CERAMICA is a member of the Green Building Council ITALIA, this is an organization that promotes in Italy buildings that are environmentally friendly, profitable and healthy places to live and work in.

EPD
PANARIAgroup

I prodotti Panaria possiedono Dichiarazione Ambientale di Prodotto (EPD) specifica di tipo III, certificata da ente terzo indipendente secondo le normative EN 14025 e EN 15804. Disponibile su richiesta.

Panaria products have a type III specific Environmental Product Declaration (EPD). This is certified by an independent third party according to EN 14025 and EN 15804 standards. Available on request.



EMAS
 GESTIONE AMBIENTALE VERIFICATA
 reg. n. IT-000401
 Stab. Fiorano M. (MO)



Ceramics of Italy



EN 14411

Le DCP sono disponibili sul sito internet www.panaria.it
 DCP are available on the website www.panaria.it

Seguici su / Follow us on





安析精密股份有限公司

www.enhan.com.tw

Tel:02-26265838



Via Panaria Bassa, 22/a
41034 Finale Emilia (Modena) - Italy
Tel. +39 0535 95111 - Fax +39 0535 90503
info@panaria.it - www.panaria.it

PANARIAGROUP INDUSTRIE CERAMICHE S.p.A.
www.panariagroup.it